

Contents

Preface	vii
Henry Anton Resing (1933-1988)	ix
Heterogeneous catalysis and NMR spectroscopy of spin 1/2 nuclei	
H. Pfeifer (Leipzig, G.D.R.)	1
Studies of adsorbate structure and dynamics on catalytic surfaces with NMR spectroscopy: CO on metals	
T.M. Duncan (Murray Hill, NJ, U.S.A.)	11
Characterization of adsorbed dicarbonyls of Rhodium	
P. Molitor and T. Apple (Lincoln, NE, U.S.A.)	33
¹³ C High resolution NMR studies of adsorption and reaction of ethylene on silica-supported Ru and Ru-Cu catalysts	
M. Pruski, J.C. Kelzenberg, M. Sprock, B.C. Gerstein and T.S. King (Ames, IA, U.S.A.)	39
Chromium and molybdenum carbonyls on NaX zeolite: ¹³ C and ¹⁷ O NMR	
W.M. Shirley, C.A. Powers and C.L. Tway (Pittsburg, KS, U.S.A.)	57
ESR and solid state MAS NMR study of the silica-supported H _{3+n} PV _n Mo _{12-n} O ₄₀ (n = 0, 1, 2, 3) heteropolyacids	
E.M. Serwicka (Cracow, Poland) and C.P. Grey (Oxford, United Kingdom)	69
Electron spin resonance in surface science	
G. Martini (Florence, Italy)	83
Standards for EPR measurements of spin concentration	
K. Dyrek, A. Madej, E. Mazur and A. Rokosz (Cracow, Poland)	135
Electron spin echo decays of nitroxide solutions adsorbed on zeolites	
M. Romanelli (Potenza, Italy), G. Martini, S. Ristori (Florence, Italy) and L. Kevan (Houston, TX, U.S.A.)	145
Surface oxygen radicals originating via redox reactions during the mechanical activation of SiO ₂ in hydrogen peroxide	
E. Giamello, B. Fubini, M. Volante and D. Costa (Turin, Italy)	155
Effect of the ligand structure on the formation of copper (II) complexes on the surface of amorphous aluminium hydroxide in the presence of 2,3-diaminopropionic and 2,4-diaminobutyric acids	
G. Micera and R. Dallochio (Sassari, Italy)	167
Aggregation of perfluorinated polymers in aqueous solution studied by ESR	
G. Martini, M.F. Ottaviani, S. Ristori (Florence, Italy), D. Lenti and A. Sanguineti (Spinetta Marengo, Italy)	177
Temperature dependence of the photoionization yield of chlorophyll-a in rapidly frozen vesicles	
T. Hiff and L. Kevan (Houston, TX, U.S.A.)	185
Spin dependent recombination at the silicon/silicon dioxide interface	
P.M. Lenahan and M.A. Jupina (University Park, PA, U.S.A.)	191
Electric field-induced proton transfer in oxidized silicon: An EPR study	
E.H. Poindexter and G.J. Gerardi (Fort Monmouth, NJ, U.S.A.)	213
Conduction ESR of vapor grown carbon fibers	
B. Marshik and T. Apple (Lincoln, NE, U.S.A.)	225
A 2D-NMR method to study near-surface regions of conductors	
U. Skibbe and G. Neue (Dortmund, F.R.G.)	235
Magnetic resonance studies of intercalation compounds: A selective review	
G.R. Miller (College Park, MD, U.S.A.)	243

High resolution ^{13}C NMR spectra in graphite intercalation compounds K. Kume (Tokyo, Japan)	251
The structure directing effect of cations in aqueous silicate solutions. A ^{29}Si -NMR study P.W.J.G. Wijnen, T.P.M. Beelen, J.W. de Haan, L.J.M. van de Ven and R.A. van Santen (Eindhoven, The Netherlands)	255
Solubilization equilibria of alcohols and polymers in micellar solutions: NMR paramagnetic relaxation studies Z. Gao, J.C.T. Kwak, R. Labonté, D.G. Marangoni and R.E. Wasylshen (Halifax, Canada)	269
Molecular theory for nuclear magnetic relaxation in protein solutions and tissue: Surface diffusion and free-volume analogy R. Kimmich, W. Nusser and T. Gneiting (Ulm, F.R.G.)	283
Reactivity of hydrophobic nitroxides in lipid bilayers M. Schara, S. Pečar and J. Svetek (Ljubljana, Yugoslavia)	303
Determination of the structure of oriented samples using two-dimensional solid state NMR techniques J. Hong and G.S. Harbison (Stoney Brook, NY, U.S.A.)	313
Quantitation of aluminum-27 NMR spectra of high-surface-area oxides R.M. Pearson (Pleasanton, CA, U.S.A.) and C.M. Schramm (Mountain View, CA, U.S.A.)	323
^{79}Br solid state NMR studies of surfaces, point defects and dislocations in silver halides N. Zumbulyadis and A.P. Marchetti (Rochester, NY, U.S.A.)	335
Solid state ^{51}V NMR structural studies of vanadium (V) oxide catalysts supported on TiO_2 (anatase) and TiO_2 (rutile). The influence of surface impurities on the vanadium (V) coordination H. Eckert (Goleta, CA, U.S.A.), G. Deo, I.E. Wachs (Bethlehem, PA, U.S.A.) and A.M. Hirt (Fords, NJ, U.S.A.)	347
Magnetic resonance of polymers at surfaces F.D. Blum (Rolla, MO, U.S.A.)	361
Nuclear magnetic resonance, small-angle neutron scattering and Monte Carlo studies of adsorbed random copolymers T. Cosgrove, N. Finch and J. Webster (Bristol, United Kingdom)	377
Contribution of solid state NMR spectroscopy to the characterization of materials A.P. Legrand, H. Hommel, H. Taïbi, J.L. Miquel and P. Tougne (Paris, France)	391
Solid state NMR studies of precipitated and pyrogenic silicas A. Tuel, H. Hommel, A.P. Legrand (Paris, France), Y. Chevallier (Collonges au Mont d'or, France)	413
Solid state NMR to study calcium phosphate ceramics J.L. Miquel, L. Facchini, A.P. Legrand (Paris, France), C. Rey (Toulouse, France) and J. Lemaitre (Lausanne, Switzerland)	427
NMR lineshape calculations of the doublet splitting for a distribution of correlation times W.D. Basler (Hamburg, F.R.G.)	435
Author Index	445
Subject Index	447

